



Bench Counting Scale



Sasco is a dynamic weighing solutions focused company which procures and supports a leading range of globally sourced industrial weighing technologies. Sasco has the highest metrological ranking of any Southern and Central African company, and as a result of our experience gained through 100 years of operation, we are uniquely positioned to specify and supply optimal weighing equipment, automation and weighing information data solutions to Southern and Central Africa's leading industrial companies. Sasco reputation has been built on innovation and choice underpinned by professionalism, modernity and experience.

GENERAL

Created to accommodate most counting needs, the CBC offers features to tally a wide range of parts in industrial and manufacturing operations.

The CBC is lightweight and portable, simplifying the scale's transport between locations during inventory. Intuitive software tracks the count and automatically optimises unit weight for greater accuracy.



FEATURES

- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Backlit LCD shows weight, unit weight and count in one convenient location
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- Level indicator and adjusting feet ensure proper balance setup for optimum weighing results
- Large, grade 304 stainless steel pan allows easy cleaning
- RS-232 interface for connection to computers and printers
- Optional USB interface simplifies data communication
- Solid ABS housing is durable for industrial uses
- Auto power-off to save energy
- Parts counting with freely selectable sample sizes
- Internal counting resolution 1:600,000 for precision results
- Memory accumulation totals results
- Preset tare function speeds the process of repetitive weighing
- Zero-tracking feature ensures display returns to zero reading
- User can program alarm to sound when preset total is reached
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

With three easy-to-read displays, CBC speeds up counting and check counting tasks.

GENERAL SPECIFICATIONS

- Weighing units: g, kg
- Interface: RS-232, Optional USB
- Power Supply: Mains power cord / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic / Stainless Steel Top Pan
- Operating Temperature: 0° to 40°C

APPLICATIONS

- Parts counting
- Check counting
- Weighing
- Accumulation of weight

WEIGHT AND DIMENSIONS

- Net Weight - 4.4kg, Overall Dim. - 315x355x110mm (wxdxh)



APPROVED MODELS - NRCS Approved



Model	Capacity	Readability	Pan Size
CBC 3M	3kg	1g	225 x 275 mm
CBC 6M	6kg	2g	225 x 275 mm
CBC 15M	15kg	5g	225 x 275 mm
CBC 30M	30kg	10g	225 x 275 mm

ADDITIONAL MODELS

Model	Capacity	Readability	Pan Size
CBC 4	4kg	0.1g	225 x 275 mm
CBC 8	8kg	0.2g	225 x 275 mm
CBC 16	16kg	0.5g	225 x 275 mm
CBC 32	32kg	1g	225 x 275 mm
CBC 48	48kg	2g	225 x 275 mm

ACCESSORIES

Item Number	Description
302000001	Hard carrying case with lock
302205006	In-use wet cover
700200057	In-use wet cover (pack of 5)
700200058	In-use wet cover (pack of 10)
3074010266	RS-232 cable (null-modem)
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)
1120011156	ATP thermal printer
3126011263	ATP thermal printer paper
3126011281	ATP thermal printer paper (pack of 10)
600002028	Adam DU data collection program
700660290	Calibration certificate

SMART SUPPORT

0861 422 134 OR +27 83 680 0722

E-mail: info@sascoafrica.com

Web: www.sascoafrica.com

24 hours, 7 Days a week

Group Support Head Office:

2 Blackburn Street
Apex Industrial
Benoni

Phone: +27 (0) 11 746 6000

Fax: +27 (0) 11 746 6100

This brochure contains a general guide of the product only and shall not form part of any contract unless specifically agreed by Sasco Africa in writing in each case on the Order Acknowledgement. The specification of the product described herein may vary from time to time and may be altered without notice.

