



Accurately Weighing Africa



# GFK

Floor Checkweighing Scale



Sasco is a dynamic weighing solutions focused company which procures and supports a leading range of globally sourced industrial weighing technologies. Sasco has the highest metrological ranking of any Southern and Central African company, and as a result of our experience gained through 100 years of operation, we are uniquely positioned to specify and supply optimal weighing equipment, automation and weighing information data solutions to Southern and Central Africa's leading industrial companies. Sasco reputation has been built on innovation and choice underpinned by professionalism, modernity and experience.

## GENERAL

With a full keypad that simplifies unit weight and sample entry, the GFK floor scale capably performs checkcounting to a predefined weight or count. Ideal for manufacturing, food processing, stock management and inventory control procedures in warehouse or factory environments.

A durable stainless steel platform and pillar-mounted ABS plastic indicator make the GFK suitable for most counting and weighing applications. The large backlit display is visible in most settings and shows unit weight, total weight and number of pieces.

GFK-M models are NTEP trade certified for selling products by weight.



## FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Capacity tracker built into display for easily monitoring possible overloads
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Adjustable leveling feet help optimise setup
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows easy cleaning
- RS-232 interface for connection to computers and printers
- Sealed keypad protects against dirt and accidental spills
- Audible overload alarm warns when capacity has been exceeded
- Checkweighing with audible alarm
- Parts counting with freely selectable sample sizes
- Parts counting optimisation automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Programmable for counting to a preset number of parts
- Selectable digital filtering helps minimise effects of vibration and disturbances
- Zero-tracking feature ensures display returns to zero reading
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

**Industrial scale's proven strength brings large-scale benefits.**

## GENERAL SPECIFICATIONS

- Weighing units: g, kg
- Interface: RS-232, Optional USB
- Power Supply: Mains power cord / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: Die-cast aluminum / Stainless Steel Top Pan
- Operating Temperature: -10° to 40°C

## APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Dynamic / animal weighing

## WEIGHT AND DIMENSIONS

- Net Weight - 12.5kg, Overall Dim.- 400x620x860mm (wxdxh)
- GFK 600: Net Weight - 25.5kg, Overall Dim.- 600x940x900mm (wxdxh)



## APPROVED MODELS - NRCS Approved



Model	Capacity	Readability	Pan Size
<b>GFK 60M</b>	60kg	20g	400 x 500 mm
<b>GFK 150M</b>	150kg	50g	400 x 500 mm
<b>GFK 300M</b>	300kg	100g	400 x 500 mm

## ADDITIONAL MODELS

Model	Capacity	Readability	Pan Size
<b>GFK 75</b>	75kg	5g	400 x 500 mm
<b>GFK 75H</b>	75kg	1g	400 x 500 mm
<b>GFK 150</b>	150kg	10g	400 x 500 mm
<b>GFK 150H</b>	150kg	2g	400 x 500 mm
<b>GFK 300</b>	300kg	20g	400 x 500 mm
<b>GFK 600</b>	600kg	50g	400 x 500 mm

## ACCESSORIES

Item Number	Description
<b>3052010526</b>	In-use cover
<b>1120011156</b>	ATP thermal printer
<b>3126011263</b>	ATP thermal printer paper
<b>3126011281</b>	ATP thermal printer paper (pack of 10)
<b>3074010266</b>	RS-232 cable (null-modem)
<b>3074010507</b>	RS-232 to USB adapter (must order corresponding RS-232 cable)
<b>600002028</b>	Adam DU data collection program
<b>700660288</b>	Calibration certificate (GFK 600)
<b>700660290</b>	Calibration certificate

## SMART SUPPORT

**0861 422 134 OR +27 83 680 0722**

E-mail: [info@sascoafrica.com](mailto:info@sascoafrica.com)

Web: [www.sascoafrica.com](http://www.sascoafrica.com)

24 hours, 7 Days a week

## Group Support Head Office:

2 Blackburn Street  
Apex Industrial  
Benoni

Phone: +27 (0) 11 746 6000

Fax: +27 (0) 11 746 6100

This brochure contains a general guide of the product only and shall not form part of any contract unless specifically agreed by Sasco Africa in writing in each case on the Order Acknowledgement. The specification of the product described herein may vary from time to time and may be altered without notice.