



# ШBZ

Washdown Retail Scales



Sasco is a dynamic weighing solutions focused company which procures and supports a leading range of globally sourced industrial weighing technologies. Sasco has the highest metrological ranking of any Southern and Central African company, and as a result of our experience gained through 100 years of operation, we are uniquely positioned to specify and supply optimal weighing equipment, automation and weighing information data solutions to Southern and Central Africa's leading industrial companies. Sasco reputation has been built on innovation and choice underpinned by professionalism, modernity and experience.

### **GENERAL**

A smart choice for catering, delis and bakeries that sell food based on weight, the WBZ washdown retail scale simplifies price computing. Weight, price per unit and total cost are visible to both operator and customer on WBZ's dual display. Easy to maintain, the WBZ has a streamlined design and fits neatly on crowded counters. It carries an IP66 rating and features NRCS and EC type approvals, making it suitable for trade use.



#### **FEATURES**

- Vivid, backlit LCD easily visible in any lighting conditions
- · Backlit LCD shows weight, unit price and total price, to provide the key information simultaneously
- Rear display mounted on the back of the scale lets customers see key data
- · Colour-coded keys facilitate quick recognition of the most frequently used buttons
- · Heavy-duty rubber feet ensure stability of unit
- Large, grade 304 stainless steel pan allows easy cleaning
- Overload protection helps prevent damage to internal components
- · Sealed keypad protects against dirt and accidental spills
- Solid ABS housing is durable for industrial uses
- · External calibration allows for verification and adjustment with weights
- Preset tare function speeds the process of repetitive weighing
- Price displayed in choice of available currencies
- Security password control prevents unauthorised access
- Selectable auto-clear function enables the last item to be reset each time the scale returns to zero
- Zero-tracking feature ensures display returns to zero reading
- · IP66 rated for protection against water and dust
- AC adapter included
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

# Portable and durable IP66-rated scale is a winner for price computing in retail locations

#### **GENERAL SPECIFICATIONS**

- Weighing units: kg
- Power Supply: 12VDC 50/60Hz 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 16mm-high digits
- Calibration: External calibration
- Housing: ABS plastic / Stainless Steel Top Pan
- Operating Temperature: -10° to 40°C

#### **APPLICATIONS**

- Weighing
- Price computing

#### WEIGHT AND DIMENSIONS

Net Weight - 3.3kg, Overall Dim. - 231x265x153mm (wxdxh)



# **MODELS**











Model	Capacity	Readability	Pan Size
WBZ 3	3kg	1g	210 x 173mm
WBZ 6	6kg	2g	210 x 173mm
WBZ 15	15kg	5g	210 x 173mm

# **ACCESSORIES**

Item Number	Description
303209190	In-use cover
303200002	In-use cover (pack of 10)
303200003	In-use cover (pack of 20)
303147960	Small scoop (complete with fitting to scale)
303147961	Medium scoop (complete with fitting to scale)
303147959	Large scoop (complete with fitting to scale)
700660290	Calibration certificate



303147959 / 303147960 / 3031479601

- Accessories

SMART SUPPORT 0861 422 134 OR +27 83 680 0722

E-mail: info@sascoafrica.com Web: www.sascoafrica.com 24 hours, 7 Days a week 
 Group Support Head Office:
 Phone: +27 (0) 11 746 6000

 2 Blackburn Street
 Fax: +27 (0) 11 746 6100

 Apex Industrial
 Fax: +27 (0) 11 746 6100

Benoni

This brochure contains a general guide of the product only and shall not form part of any contract unless specifically agreed by Sasco Africa in writing in each case on the Order Acknowledgement. The specification of the product described herein may vary from time to time and may be altered without notice. Sasco Africa, its directors, staff, owners and affiliated companies and organisations cannot be held liable for any resulting damage or injury sustained as a result of the machines being used in excess of their capacities and ultimate overload limits.