




## Bench Checkweighing Scales



The GBK is designed to stand up to the demands of rigorous industrial applications. With its compact stainless steel platform, the GBK fits easily on a cart or table and is ideal for parts counting, batching or routine weighing. For flexible positioning, the pillar-mounted display can be used without the pillar.

Oversized rubber feet offer stability, while the cast aluminum frame provides even weight distribution and ensures consistent readings regardless of where the object is placed during weighing.

The GBK's intuitive software helps save time and reduces errors when logging data. Powered by mains power cord or the built-in, rechargeable battery, GBK operates anywhere. The GBK-M version is suitable for trade use.



## FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Checkweighing LEDs clearly show under, over and within acceptable limits
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Large, grade 304 stainless steel pan allows easy cleaning
- RS-232 interface provides speedy connection to computers and printers
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and spills
- Overload protection helps prevent damage to internal components
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Checkweighing with audible alarm
- Memory accumulation totals results
- Parts counting with freely selectable sample sizes
- Parts counting optimisation automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Selectable digital filtering helps minimise effects of vibration and disturbances
- Zero-tracking feature ensures display returns to zero reading

**The GBK fits easily on a cart or table and is ideal for parts counting, batching or routine weighing.**

## GENERAL SPECIFICATIONS

- Pan Size: 400x300mm
- Weighing: Units kg
- Stabilization time: 2
- Interface: RS-232
- Calibration: External calibration
- Display: Backlit LCD with 20mm high digits
- Power Supply: Mains power cord & Internal rechargeable battery
- Operating Temp: -10° to 40°C
- Construction: ABS plastic indicator with die-cast aluminum bas

## APPROVALS

- EC type approved
- NRCS approved
- NMI trade approved























## APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation of weight

## WEIGHT AND DIMENSIONS

- Net Weight: 7.6kg
- Product Dims: 300x520x680mm

## MODELS AND APPROVALS

Model	Capacity	Readability	Pan Size	Approvals
 <b>GBK 6M</b>	6kg	2g	300x400mm	  
 <b>GBK 15M</b>	15kg	5g	300x400mm	  
 <b>GBK 30M</b>	30kg	10g	300x400mm	  
 <b>GBK 60M</b>	60kg	20g	300x400mm	  
 <b>GBK 150M</b>	150kg	50g	300x400mm	  

## SMART SUPPORT

**0861 422 134 OR +27 83 680 0722**

**E-mail:** [info@sascoafrica.com](mailto:info@sascoafrica.com)

**Web:** [www.sascoafrica.com](http://www.sascoafrica.com)

*24 hours, 7 Days a week*

### Group Support Head Office:

2 Blackburn Street  
Apex Industrial  
Benoni

**Phone:** +27 (0) 11 746 6000

**Fax:** +27 (0) 11 746 6100

This brochure contains a general guide of the product only and shall not form part of any contract unless specifically agreed by Sasco Africa in writing in each case on the Order Acknowledgement. The specification of the product described herein may vary from time to time and may be altered without notice.