



Sasco Africa

Accurately Weighing Africa

SASCO Upgrade Approval List

Sasco has state-of-the art weighing technology and software together with the associated regulatory approvals to enable most weighbridges to be upgraded.

SASCO WEIGHING SYSTEMS

SMART SUPPORT

0861 422 134

OR +27 83 680 0722

E-mail: info@sascoafrica.com

Web: www.sascoafrica.com

24 hours, 7 Days a week

GROUP SUPPORT H/O

2 Blackburn Street

Apex Industrial | Benoni

Phone: +27 (0) 11 746 6000

Fax: +27 (0) 11 746 6100

TYPE	DECK MANUFACTURER & MODEL	DECK SIZES	LOAD CELLS MAKE & MODEL	APPROVAL NUMBER
Road	Bilanciai	6m x 3m	4 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	6m x 3m	4 x 23 000kg Avery 8701 or Sasco S701 or a combinations of them	1480-AA4
Road	Bilanciai	6m x 3m	4 x 40 000kg Revere CSP	1480-AA4
Road	Bilanciai	12m x 3m	6 x 23 000kg Avery 8701 or Sasco S701 or a combinations of them	1480-AA4
Road	Bilanciai	12m x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	12m x 3m	6 x 40 000kg Revere CSP	1480-AA4
Road	Bilanciai	18m x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combinations of them	1480-AA4
Road	Bilanciai	18m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	18m x 3m	8 x 40 000kg Revere CSP	1480-AA4
Road	Bilanciai	22m x 3m	10 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Bilanciai	22m x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	22m x 3m	10 x 40 000kg Revere CSP	1480-AA4
Road	Bilanciai	24m x 3m	10 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Bilanciai	24m x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	24m x 3m	8 x 40 000kg Revere CSP	1480-AA4
Road	Bilanciai	6m x 3m	4 x 30 000kg Sasco S500	1480-AA4
Road	Bilanciai	12m x 3m	6 x 30 000kg Sasco S500	1480-AA4
Road	Bilanciai	18m x 3m	8 x 30 000kg Sasco S500	1480-AA4
Road	Bilanciai	24m x 3m	10 x 30 000kg Sasco S500	1480-AA4
Road	Bilanciai	36m x 3m (18+18m)	16 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	24m x 4,5m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	6m x 3m	4 x 20 000kg or 30 000kg HBM C16 or Sasco S16 or a combination of them	1480-AA4
Road	Bilanciai	12m x 3m	6 x 20 000kg or 30 000kg HBM C16 or Sasco S16 or a combination of them	1480-AA4
Road	Bilanciai	18m x 3m	8 x 20 000kg or 30 000kg HBM C16 or Sasco S16 or a combination of them	1480-AA4
Road	Bilanciai	18m,22m or 24mx3,2m	4,6,8 or 10 x 23 000kg Vishay CP-D3	1480-AA4
Road	Sasco WB80TP	12m x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Sasco WB80TP	24m x 3m	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Berkel	16m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Berkel	18m x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	Berkel	17,485m	10 x 45 000kg Avery 8701	1480-AA4
Road	Trek	(16m or 24m) x 3m	6 x 45 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Trek	18m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Trek	(21m or 18m) x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Trek	24m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Trek	22,5m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery	24m x 3m	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery	12m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Massamtics Steel	(18m or 22m or 24m) x3m	8 or 10 x 20 000kg or 30 000kg HBM C16 or Sasco S16 or a combination of them	1480-AA4

TYPE	DECK MANUFACTURER & MODEL	DECK SIZES	LOAD CELLS MAKE & MODEL	APPROVAL NUMBER
Road	Massamtics Steel	(18m or 22m or 24m) x3m	8 or 10 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Massamtics Steel	(18m or 22m or 24m) x3m	8 or 10 x 30 000kg Sasco S500	1480-AA4
Road	Massamtics Steel	(18m or 22m or 24m) x3m	8 or 10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Massamtics Steel	22m x 3m	8 x 23 000kg Avery 8701 or Revere RCP050K-D301	1480-AA4
Rail	Avery S2	15m x1,5m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Road	Avery S51 Concrete	24m x 3m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	21m x 3m (14m +7m)	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	22m x 3m (15m +7m)	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	24,2m x3m (15,2m +9m)	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	24m x3m (15m +9m)	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	25,6m x 3m (15,2m +10,4m)	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	26m x 3m (17m +9m)	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	27,14m x 3m (18,14m +9m)	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	22,2m x 3m (15,2m +7m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	24,2m x3m (15,2m +9m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks /Avery 51s Combo	24m x 3m (14m +10m)	10 x 20 000kg Bilanciai CPD-M or 23 000kg Avery 8701 OR Sasco S701 or a combo	1480-AA4
Road	Avery 5199/J315 Combo	22m x 3m (15m +7m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/J315 Combo	24,2m x3m (15,2m +9m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/J315 Combo	22m x3m (18m +3m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/J315 Combo	24m x 3m (18m +6m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/J315 Combo	25,2m x 3m (18m +7,2m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/Bridgemont Combo	24m x 3m (18m +6m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/Bridgemont Combo	25,2m x 3m (18m +7,2m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/Bridgemont Combo	24m x 3m (18m +6m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199/Bridgemont Combo	24m x 3m (15m +9m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Molen/Avery J315 Combination Steel	24m x 3m (15m +9m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Molen/Avery J315 Combination Steel	24m x 3m (17m +7m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Molen/Avery J315 Combination Steel	24m x 3m (14m +10m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Molen/Bridgemont Combination Steel	23m x 3m (15m + 8m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5106/ Bridgemont Combination Steel	23,3m x 3m (15,2m +8,1m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5106/Avery J315 Combination Steel	24m x 3m (18m +6m)	10 x 45 000kg & 23 000kg Avery 8701	1480-AA4
Road	Avery J216 / Trek Combination Concrete	24m x 3m (18m +6m)	10 x 50 000kg Bilanciai CPD-M	1480-AA4
Road	Avery J115 Concrete	(20m or 22m or 24m) x 3m	6 x 50 000kg Bilanciai CPD-M or Revere CSP	1480-AA4
Road	Avery J315 Steel	9m x 4m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery J315 Steel	18m x 3m	6 x 23 000kg Avery 8701 or Sasco S701 or a combinations of them	1480-AA4
Road	Avery J315 Steel	18m x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery J315 Steel	21m x 3m or 22m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery J315 Steel	21m x 3m or 22m x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4

TYPE	DECK MANUFACTURER & MODEL	DECK SIZES	LOAD CELLS MAKE & MODEL	APPROVAL NUMBER
Road	Avery J315 Steel	24m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery J315 Steel	24m x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Avery J315 Steel	24m x 3m	8 x 23 000kg Avery 8701 or Revere RCP050K-D301	1480-AA4
Road	Avery J315 Steel	24m x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery J315 Steel	(22m or 24m) x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bilanciai	24,2m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bridgemont Steel	(4m or 6m or 8m) x 3m	4 x 22 000kg Weighbar	1480-AA4
Road	Bridgemont Steel	(4m or 6m or 8m) x 3m	4 x 30 000kg Sasco S500	1480-AA4
Road	Bridgemont Steel	(12m or 16m) x 3m	6 x 22 000kg Weighbar	1480-AA4
Road	Bridgemont Steel	(12m or 16m) x 3m	6 x 30 000kg Sasco S500	1480-AA4
Road	Bridgemont Steel	(18m or 21m or 22m) x 3m	8 x 22 000kg Bridgemont or Weighbar	1480-AA4
Road	Bridgemont Steel	(18m or 21m or 22m or 24m) x 3m	8 x 30 000kg Sasco S500	1480-AA4
Road	Bridgemont Steel	24m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Bridgemont Concrete	24m x 3m	8 x 22 000kg Weighbar	1480-AA4
Road	Bridgemont	24m x 3m	8 x 22 000kg Bridgemont or Weighbar	1480-AA4
Road	Bridgemont	24m x 3,2m	8 x 40 000kg Revere CSP	1480-AA4
Road	Bridgemont Steel	32m x 3m	10 x 30 000kg Sasco S500	1480-AA4
Road	Avery 5106	15,2m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks Steel	15,2m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Fairbanks Steel	10,33m x 3m	4 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	Fairbanks Steel / Concrete	14m or 15m or 16m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5299 Steel	14m or 15m or 16m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5299 Steel	13m or 13,5m or 14m or 15m or 16m or 16,5m	6 or 8 x 50 000kg Bilanciai CPD-M or Avery 8701 or Sasco S701	1480-AA4
Rail	Avery 5258 Steel	13m or 13,5m or 14m or 15m or 16m or 16,5m	6 or 8 x 50 000kg Bilanciai CPD-M or Avery 8701 or Sasco S701	1480-AA4
Rail	Avery 5258 Steel	14m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5258 Steel	15m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5258 Steel	(14m or 16m) x 1,53m	6 x 45 000kg Avery 8701 or S701 or a combination of them	1480-AA4
Road	Avery 5106 Steel	22m x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combinations of them	1480-AA4
Road	Masskot	22m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Masskot Loadhawk Steel	22m x 3m (11m+11m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Masskot Steel	22m x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Masskot Steel	24m x 3m	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Massamtics Steel	22m x 3,2m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Trek Steel	24m x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Massamtics Steel	22m x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Avery J315 Steel	24m x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Avery 5104 Steel	9m x 3m	4 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5106 Steel	22m x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4

TYPE	DECK MANUFACTURER & MODEL	DECK SIZES	LOAD CELLS MAKE & MODEL	APPROVAL NUMBER
Road	Avery 5158/5199 Steel	(18m or 20m or 22m or 24m or 27m) x 3m	6 or 8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Avery 5158/5199 Steel or concrete	18m x 3m	6 x 45 000kg Avery 8701 or S701 or a combination of them	1480-AA4
Road	Avery 5158/5199 Steel or concrete	(22m or 24m) x 3m	8 x 45 000kg Avery 8701 or S701 or a combination of them	1480-AA4
Road	Avery 5158/Bridgemont	24m x 3m (18m +6m)	10 x 23 000kg Avery 8701 or Sasco S701 or Revere CSP	1480-AA4
Road	Avery 5106 & Bilanciai Steel	24m x 3m (18m +6m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5106 & Bridgemont Steel	19m x 3m (15m + 4m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5106 & Bridgemont Steel	24m x 3m (18m +6m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5106 & Bridgemont Steel	29m x 3m (21m +8m)	12 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199 Steel	(15m or 18m or 21m) x3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery 5199 Steel	21m x 3m	6 x 23 000kg Avery 8701 or Sasco S701 or a combinations of them	1480-AA4
Road	Avery J217 Steel or concrete	(22m or 24m) x 3m	8 x 23 000kg Avery 8701 or Sasco S701 or a combination of them	1480-AA4
Road	Avery J217 Steel	24m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Avery J217 Steel	24mx 3m	8 x 23 000kg Avery 8701 or Revere CSP or Sasco S701 or a combination of them	1480-AA4
Rail	Avery S52 Concrete with Steel grids	16m x 3m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Rail	Carl Schenck Twin Rail	16m (8m +8m)	8 x 50 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5258 Steel	13,5m	6 x 45 000kg Revere CSP	1480-AA4
Rail	Avery 5258 Steel	13,4m x 1,2m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5258 Steel	16,5m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5258 Steel	17,485m x 1,53m	10 x 50 000kg Bilanciai CPD-M	1480-AA4
Rail	Avery 5258 Steel	15m x 1,53m (6m +9m)	10 x 50 000kg Bilanciai CPD-M	1480-AA4
Rail	Trek Twin Rail Steel	10,2m (5,1m +5,1m)	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	PHB Weserhutte Tipper	15m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Rail	Tippler	18m	6 x 35 000kg Bilanciai CPD-M	1480-AA4
Road/Rail	Avery J335A Steel	24m x 3m	8 x 50 000kg Bilanciai CPD-M	1480-AA4
Road/Rail	Masskot & Avery J335	24m x 3,24m (16m+8m)	10 x 50 000kg Bilanciai CPD-M	1480-AA4
Road	GWK	24m x 5,7m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Ricter Steel	8m x3m	4 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Ricter Steel	(12m or 16m)x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Ricter Steel	18m x 3m	6 or 8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Ricter Steel	(20m or 22m or 24m) x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Ricter Steel	24m x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	Ferrotech Steel	24m x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	LMI Steel	(6m or 8m) x 3m	4 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	LMI Steel	(6m or 8m) x 3m	4 x 30 000kg Sasco S500	1480-AA4
Road	LMI Steel	12m x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	LMI Steel	12m x 3m	6 X 30 000kg Sasco S500	1480-AA4
Road	LMI Steel	18m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	LMI Steel	18m x 3m	8 x30 000kg Sasco S500	1480-AA4

TYPE	DECK MANUFACTURER & MODEL	DECK SIZES	LOAD CELLS MAKE & MODEL	APPROVAL NUMBER
Road	LMI Steel	22m x 3m	10 x 30 000kg Sasco S500	1480-AA4
Road	LMI Steel	(22m or 24m) x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA4
Rail	Special SA Scale designed tippler Steel	14,5m x 1,4m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Road	Special SA Scale designed concrete	20m x 3m	6 x 50 000kg Bilanciai CPD-M	1480-AA4
Road/Rail	Avery 5303 Steel	8m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA4
Road	MVD Steel /Concrete	24m x 5,5m	8 x 50 000kg Bilanciai CPD-M	1480-AA4
Road /Rail	Avery 5358 Steel	14m x 3m	8 x 45 000kg Avery 8701 or S701	1480-AA10
Road/Rail	Avery 5358 Steel	14m x 3m	8 x 50 000kg Bilanciai CPD-M	1480-AA10
Road	Avery S51 Concrete	(18m or 20m or 22m or 24m)x3m	6 x 50 000kg Bilanciai CPD-M	1480-AA11
Road	Avery S51 Concrete	(18m or 20m or 22m or 24m)x3m	6 x 45 000kg Avery 8701 or S701	1480-AA11
Road	Trek Steel or Concrete or Concrete infill	33m x 3m	14 x 20 000kg Bilanciai CPD	1480-AA13
Road	Trek Steel or Concrete or Concrete infill	33m x 3m	14 x 30 000kg Sasco S16	1480-AA13
Road	Trek Steel or Concrete or Concrete infill	6m x 3m	4 x 20 000kg Bilanciai CPD-M	1480-AA14
Road	Trek Steel or Concrete or Concrete infill	6m x 3m	4 x 20 000kg Sasco S16	1480-AA14
Road	Trek Steel or Concrete or Concrete infill	12m x 3m	6 x 20 000kg Bilanciai CPD-M	1480-AA14
Road	Trek Steel or Concrete or Concrete infill	12m x 3m	6 x 20 000kg Sasco S16	1480-AA14
Road	Trek Steel or Concrete or Concrete infill	18m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA14
Road	Trek Steel or Concrete or Concrete infill	18m x 3m	8 x 20 000kg Sasco S16	1480-AA14
Road	Trek Steel or Concrete or Concrete infill	(22m or 24m) x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA14
Road	Trek Steel or Concrete or Concrete infill	(22m or 24m) x 3m	10 x 20 000kg Sasco S16	1480-AA14
Road	Bridgemont & Bilanciai WB80 Combination steel	24m x 3m (18m +6m)	12 x 20 000kg Bilanciai	1480-AA15
Rail	Schenck Twin Rail	11m x 1,95m (5,5m+5,5m)	8 x 50 000kg Bilanciai CPD-M	1480-AA17
Road/Rail	Avery 5303 Steel	15,25m x 3,072m	8 x 50 000kg Bilanciai CPD-M	1480-AA19
Road/Rail	Avery J335	22m x 3m	8 x 50 000kg Bilanciai CPD-M	1480-AA20
Road	Bilanciai WB80T	24m x 3m	10 x 30 000kg Sasco S500	1480-AA22
Road	Bilanciai WB80T-CO Concrete	24m x 3m	10 x 35 000kg Bilanciai CPD-M	1480-AA24
Road	Trek Concrete	24m x 3m	10 x 35 000kg Bilanciai CPD-M	1480-AA25
Road	Trek Steel	18m x 3m	6 or 8 x 20 000kg Bilanciai CPD-M	1480-AA26
Road	Trek Steel	18m x 3m	6 or 8 x 20 000kg or 30 000kg Sasco S16 or Massamatics S16 or a combination of them	1480-AA26
Road	Trek Steel	22m x 3m	6 or 8 x 20 000kg Bilanciai CPD-M	1480-AA26
Road	Trek Steel	22m x 3m	6 or 8 x 20 000kg or 30 000kg Sasco S16 or Massamatics S16 or a combination of them	1480-AA26
Road	J315 Steel	23,985m x 3,185m	8 x 20 000kg CPD-M	1480-AA27
Road	Masskot Load Hawk	24m x 3m	10 x 20 000kg Bilanciai CPD-M	1480-AA30
Road	Fairbanks Steel	24m x 3m	8 x 20 000kg Bilanciai CPD-M	1480-AA31
Road	Avery 5106 Steel	22,86m x 3,045m	8 x 20 000kg Bilanciai CPD-M	1480-AA32
Road	Fairbanks & Klerkscale Steel	24,21m x 3m (15,22m+8,990m)	14 x 20 000kg Bilanciai CPD-M	1480-AA33
Road	Trek Steel	15m x 2,995m	4 x 20 000kg Bilanciai CPD-M	1480-AA39